

Prof. Dr. Philippe C. Cattin

Department of Biomedical Engineering  
University of Basel  
Gewerbstrasse 14  
CH-4123 Allschwil, Switzerland

tel: +41-61-2075400  
philippe.cattin@unibas.ch



## Full List of Publications and Patents

The most recent publication list can be found here <http://cian.unibas.ch/FullPublist-Cattin.pdf>.  
Andermatt2018 online Horvath2018 online Knecht2018 report Nahum2018b online

## Book Chapters

- [1] P. C. Cattin, “Biometric authentication system using human gait,” PhD thesis, Institute of Robotics, ETH-Zürich, Switzerland, May 16, 2002. [Online]. Available: <http://e-collection.ethbib.ethz.ch/show?type=diss&nr=14603>.
- [2] P. Cattin, M. Harders, J. Hug, R. Sierra, and G. Székely, *Computer-Supported Segmentation of Radiological Data in Biomedical Image Analysis (Chap. 14 in Segmentation Models)*. Kluwer Academic, 2005, vol. II.
- [3] H. Alkadhi, P. Stolzmann, S. Leschka, P. Cattin, G. Székely, and S. Saur, “Dual-energy CT in clinical practice - medical radiology,” in Springer-Verlag Berlin Heidelberg, 2011, ch. Dual-Energy CT for Plaque Differentiation, pp. 73–9.
- [4] L. Petrusca, M. Viallon, S. Terraz, V. de Luca, Z. Celicanin, V. Auboiroux, S. Brunke, P. Cattin, and R. Salomir, “Interventional MRI,” in T. Kahn and H. Busse, Eds., 978-3-642-20705-1. Springer, 2012, ch. Simultaneous Ultrasound and MRI Acquisition.
- [5] P. B. Henrich, C. A. Monnier, M. Loparic, and P. C. Cattin, “Ophthalmologica,” in C. Meyer, Ed., Suppl 2. Karger Medical and Scientific, Basel, 2013, vol. 230, ch. Material Properties of the Internal Limiting Membrane and Their Significance in Chromovitrectomy, pp. 11–20. DOI: [10.1159/000353866](https://doi.org/10.1159/000353866).
- [6] B. Müller, A. Zumbuehl, M. A. Walter, T. Pfohl, P. C. Cattin, J. Huwyler, and S. E. Hieber, “The nano-micro interface ii - bridging the micro and nano worlds,” in H. Fecht, Ed. Wiley, 2015, ch. Translational Medicine: Nanoscience and Nanotechnology to Improve Patient Care, pp. 291–309, ISBN-10: 3-527-30978-0.

- 
- [7] C. Jud, P. C. Cattin, and F. Preiswerk, *Chapter 14: Statistical respiratory models for motion estimation*, in *Statistical Shape and Deformation Analysis: Methods, Implementations and Applications*, G. Zheng, S. Li, and G. Székely, Eds. Elsevier, 2017, ISBN: 9780128104934. [Online]. Available: <https://www.elsevier.com/books/statistical-shape-and-deformation-analysis/zheng/978-0-12-810493-4>.

## Original Articles

- [1] P. C. Cattin, “Verpackungsroboter,” *Schweizer Verpackungskatalog*, pp. 110–112, 1996.
- [2] N. Tschichold-Guerman and P. Cattin, “Recognition of door-number plates for mobile robot localisation,” *Neuronale Netze in der Anwendung*, 1998.
- [3] P. Cattin, H. Dave, J. Grünenfelder, G. Székely, M. Turina, and G. Zünd, “Trajectory of coronary motion and its significance in robotic motion cancellation,” *European Journal of Cardio-Thoracic Surgery*, vol. 25, no. 5, pp. 786–90, May 2004, IF=2.550. DOI: [10.1016/j.ejcts.2004.01.019](https://doi.org/10.1016/j.ejcts.2004.01.019).
- [4] L. Husmann, S. Leschka, L. Desbiolles, T. Schepis, O. Gaemperli, B. Seifert, P. C. Cattin, T. Frauenfelder, T. G. Flohr, B. Marincek, P. A. Kaufmann, and H. Alkadhi, “Coronary artery motion and cardiac phases: Dependency on heart rate implications for CT image reconstruction,” *Radiology*, vol. 245, pp. 567–76, Sep. 2007, IF=5.726. DOI: [10.1148/radiol.2451061791](https://doi.org/10.1148/radiol.2451061791).
- [5] M. von Siebenthal, A. J. Lomax, G. Székely, and P. C. Cattin, “4dct with variable respiratory motion generated from static ct and 4dmri,” *Radiotherapy and Oncology*, vol. 84, S110–1, 2007, IF=5.580.
- [6] M. von Siebenthal, G. Székely, U. Gamper, P. Boesiger, A. Lomax, and P. Cattin, “4D MR imaging of respiratory organ motion and its variability,” *Physics in Medicine and Biology*, vol. 52, pp. 1547–64, 2007, IF=2.829. DOI: [10.1088/0031-9155/52/6/0001](https://doi.org/10.1088/0031-9155/52/6/0001).
- [7] M. von Siebenthal, G. Székely, A. J. Lomax, and P. C. Cattin, “Systematic errors in respiratory gating due to intrafraction deformations of the liver,” *Med. Phys.*, vol. 34, no. 9, pp. 3620–9, Sep. 2007, IF=2.830. DOI: [10.1118/1.2767053](https://doi.org/10.1118/1.2767053).
- [8] A. Andronache, M. von Siebenthal, G. Székely, and P. Cattin, “Non-rigid registration of multi-modal images using both mutual information and cross-correlation,” *Medical image analysis*, vol. 12, no. 1, pp. 3–15, Feb. 2008, IF=4.424. DOI: [doi:10.1016/j.media.2007.06.005](https://doi.org/10.1016/j.media.2007.06.005).
- [9] S. C. Saur, H. Alkadhi, L. Desbiolles, G. Székely, and P. C. Cattin, “ACCURATUM: Improved calcium volume scoring using a mesh-based algorithm - a phantom study,” *European radiology*, vol. 19, no. 3, pp. 591–8, 2008, IF=3.222. DOI: [10.1007/s00330-008-1181-9](https://doi.org/10.1007/s00330-008-1181-9).
- [10] C. Wengert, L. Bossard, C. Baur, G. Székely, and P. C. Cattin, “Endoscopic navigation for minimally invasive suturing,” *Computer Aided Surgery*, vol. 13, no. 5, pp. 299–310, Sep. 2008, IF=0.296. DOI: [10.1080/10929080802337914](https://doi.org/10.1080/10929080802337914).
- [11] H. Alkadhi, L. Desbiolles, P. Stolzmann, S. Leschka, H. Scheffel, A. Plass, T. Schertler, P. T. Trindade, M. Genoni, P. Cattin, B. Marincek, and T. Frauenfelder, “Mitral annular shape, size, and motion in normals and in patients with cardiomyopathy: Evaluation with computed tomography,” *Investigative Radiology (IR)*, vol. 44, no. 4, pp. 218–25, 2009, IF=4.593. DOI: [10.1097/RLI.0b013e3181994a73](https://doi.org/10.1097/RLI.0b013e3181994a73).

- 
- [12] S. C. Saur, H. Alkadhi, L. Desbiolles, T. J. Fuchs, G. Szekely, and P. C. Cattin, "Guided review by frequent itemset mining - additional evidence for plaque detection," *International Journal of Computer Assisted Radiology and Surgery (JCARS)*, vol. 4, no. 3, pp. 263–71, 2009. DOI: [10.1007/s11548-009-0290-5](https://doi.org/10.1007/s11548-009-0290-5).
- [13] S. C. Saur, P. C. Cattin, L. Desbiolles, T. J. Fuchs, G. Szekely, and H. Alkadhi, "Prediction rules for the detection of coronary artery plaques: Evidence from cardiac CT," *Investigative Radiology*, vol. 44, no. 8, pp. 483–90, 2009, IF=4.593.
- [14] A. Serifovic-Trbalic, D. Demirovic, N. Prljaca, G. Szekely, and P. Cattin, "Intensity based elastic registration incorporating anisotropic landmark errors and rotational information," *International Journal of Computer Assisted Radiology and Surgery (CARS)*, vol. 4, no. 5, pp. 463–8, 2009, IF=1.481. DOI: [10.1007/s11548-009-0358-2](https://doi.org/10.1007/s11548-009-0358-2).
- [15] S. Lee, J. M. Reinhardt, P. C. Cattin, and M. D. Abramoff, "Objective and expert-independent validation of retinal image registration algorithms by a projective imaging distortion model," *Medical Image Analysis*, vol. 14, no. 4, pp. 539–49, 2010, IF=4.424. DOI: [10.1016/j.media.2010.04.001](https://doi.org/10.1016/j.media.2010.04.001).
- [16] S. C. Saur, H. Alkadhi, P. Stolzmann, S. Baumüller, S. Leschka, H. Scheffel, L. Desbiolles, T. J. Fuchs, G. Szekely, and P. C. Cattin, "Effect of reader experience on variability, evaluation time and accuracy of coronary plaque detection with computed tomography coronary angiography," *European Radiology*, vol. 20, no. 7, pp. 1599–606, 2010, IF=3.222. DOI: [10.1007/s00330-009-1709-7](https://doi.org/10.1007/s00330-009-1709-7).
- [17] D. Barthelmes, M. M. Bosch, T. M. Merz, B. L. Petrig, F. Truffer, K. E. Bloch, T. A. Holmes, P. Cattin, U. Hefti, M. Sellner, F. K. P. Sutter, M. Maggiorini, and K. Landau, "Delayed appearance of high altitude retinal hemorrhages," *PLoS One*, vol. 6, no. 2, e11532, Feb. 2011, IF=4.092. DOI: [10.1371/journal.pone.0011532](https://doi.org/10.1371/journal.pone.0011532).
- [18] P. C. Cattin, G. Schulz, and M. Reyes, "Bildgebende Verfahren - neue Methoden verändern die Chirurgie," *Der MKG-Chirurg*, vol. 4, no. 1, pp. 16–22, 2011. DOI: [10.1007/s12285-010-0195-x](https://doi.org/10.1007/s12285-010-0195-x).
- [19] P. B. Henrich, S. Priglinger, C. Haritoglou, T. Josifova, P. R. Ferreira, R. W. Strauss, J. Flammer, and P. C. Cattin, "Quantification of contrast recognizability during Brilliant Blue G (BBG) and Indocyanine Green (ICG) assisted chromovitrectomy," *Investigative Ophthalmology and Visual Science (IOVS)*, vol. 52, no. 7, pp. 4345–9, 2011, IF=3.597. DOI: [10.1167/iovs.10-6972](https://doi.org/10.1167/iovs.10-6972).
- [20] C. Huber, C. Nüesch, B. Göpfert, P. Cattin, and V. von Tscharner, "Muscular timing and inter-muscular coordination in healthy females while walking," *J. Neuroscience Methods*, vol. 201, pp. 27–34, 2011, IF=2.400. DOI: [10.1016/j.jneumeth.2011.07.008](https://doi.org/10.1016/j.jneumeth.2011.07.008).
- [21] J. Knight, U. Olgac, S. C. Saur, D. Poulikakos, W. Marshall, P. C. Cattin, H. Alkadhi, and V. Kurtcuoglu, "Choosing the optimal wall shear parameter for the prediction of plaque location - a patient-specific computational study in human left coronary arteries," *Atherosclerosis*, vol. 221, no. 2, pp. 445–450, 2011, IF=3.794. DOI: <http://dx.doi.org/10.1016/j.atherosclerosis.2010.03.001>.
- [22] U. Olgac, J. Knight, D. Poulikakos, S. C. Saur, H. Alkadhi, L. M. Desbiolles, P. C. Cattin, and V. Kurtcuoglu, "Computed high concentrations of low-density lipoprotein correlate with plaque locations in human coronary arteries," *J. Biomechanics*, vol. 44, no. 13, pp. 2466–71, Sep. 2011, IF=2.434.
- [23] P. B. Henrich, C. Valmaggia, C. Lang, S. G. Priglinger, C. Haritoglou, R. W. Strauss, and P. C. Cattin, "Contrast recognizability during brilliant blue g - and heavier-than-water brilliant blue g (bbg-d20)-assisted chromovitrectomy: A quantitative analysis," *Acta Ophthalmologica*, vol. 91, no. 2, pp. 120–4, Mar. 2012, IF=2.629. DOI: [10.1111/aos.12005](https://doi.org/10.1111/aos.12005).

- 
- [24] S. Lang, M. Dominietto, P. Cattin, A. Ulmann-Schuler, T. Weitkamp, and B. Müller, “Global and local hard x-ray tomography of a centimetre-size tumor vessel tree,” *Synchrotron Radiation*, vol. 19, pp. 114–25, 2012, IF=2.726.
- [25] S. Lang, B. Müller, M. D. Dominietto, P. C. Cattin, I. Zanette, T. Weitkamp, and S. E. Hieber, “Three-dimensional quantification of capillary networks in healthy and cancerous tissues of two mice,” *Microvascular Research*, vol. 84, no. 3, pp. 314–22, 2012, IF=2.828. DOI: [10.1016/j.mvr.2012.07.002](https://doi.org/10.1016/j.mvr.2012.07.002).
- [26] M. Lüthi, R. Blanc, T. Albrecht, T. Gass, O. Goksel, P. Büchler, M. Kistler, H. Bousleiman, M. Reyes, P. C. Cattin, and T. Vetter, “Statismo - a framework for pca based statistical models,” *The Insight Journal*, pp. 1–18, 2012. [Online]. Available: <http://hdl.handle.net/10380/3371>.
- [27] F. Rikhtegar, J. A. Knight, U. Olgac, S. C. Saur, D. Poulikakos, W. Marshall, P. C. Cattin, H. Alkadhhi, and V. Kurtcuoglu, “Choosing the optimal wall shear parameter for the prediction of plaque location - a patient-specific computational study in human left coronary arteries,” *Atherosclerosis*, vol. 221, no. 2, pp. 432–7, 2012, IF=3.794. DOI: [10.1016/j.atherosclerosis.2012.01.018](https://doi.org/10.1016/j.atherosclerosis.2012.01.018).
- [28] K. Schweizer, P. C. Cattin, R. Brunner, B. Müller, C. Huber, and J. Romkes, “Automatic selection of a representative trial from multiple measurements using principle component analysis,” *Journal of Biomechanics*, vol. 45, no. 13, pp. 2306–9, 2012, IF=3.023. DOI: [10.1016/j.jbiomech.2012.06.012](https://doi.org/10.1016/j.jbiomech.2012.06.012).
- [29] P. C. Cattin, A. Schneider, M. Griessen, C. Baumberger, and B. Müller, “Computerbasierte, bildgeführte chirurgische eingriffe,” *Schweizerisches Medizin-Forum*, vol. 13, no. 34, pp. 660–662, 2013.
- [30] D. Demirovic, A. Serifovic-Trbalic, and P. Cattin, “A total variation filtered demons for improved registration of sliding organs,” *ISRN Biomathematics*, 2013. DOI: <http://dx.doi.org/10.1155/2013/534891>.
- [31] P. B. Henrich, S. G. Priglinger, C. Haritoglou, R. G. Schumann, R. W. Strauss, U. Schneider, T. Josifova, and P. C. Cattin, “Quantification of contrast recognizability in sequential epiretinal membrane removal and internal limiting membrane peeling in trypan blue-assisted macular surgery,” *Retina*, vol. 33, no. 4, pp. 818–24, 2013, IF=3.597.
- [32] P. B. Henrich, C. Valmaggia, C. Lang, and P. C. Cattin, “The price for reduced light toxicity: Do endoilluminator spectral filters decrease color contrast during brilliant blue g-assisted chromovitrectomy?” *Graefe’s Archive for Clinical and Experimental Ophthalmology*, 2013, e-pub. DOI: [10.1007/s00417-013-2461-x](https://doi.org/10.1007/s00417-013-2461-x).
- [33] C. Huber, P. Federolf, C. Nüesch, P. C. Cattin, N. F. Friederich, and V. von Tscharnner, “Heel-strike in walking: Assessment of potential sources of intra- and inter-subject variability in the activation patterns of muscles stabilizing the knee joint,” *J Biomech*, vol. 46, pp. 1262–8, 2013, IF=3.023. DOI: [10.1016/j.jbiomech.2013.02.017](https://doi.org/10.1016/j.jbiomech.2013.02.017).
- [34] S. Köhl, S. Zürcher, T. Majeed, M. Müller-Gerbl, A. Filippi, and P. Cattin, “Accuracy of full-guided versus half-guided implant surgery,” *Clinical Oral Implants Research (COIR)*, vol. 24, no. 7, pp. 763–9, Jul. 2013, IF=2.514. DOI: [10.1111/j.1600-0501.2012.02484.x](https://doi.org/10.1111/j.1600-0501.2012.02484.x).
- [35] T. Majeed, K. Fundana, S. Kiriyanthan, J. Beinemann, and P. Cattin, “Graph cut segmentation using a constrained statistical model with non-linear and sparse shape optimization,” *Medical Computer Vision. Recognition Techniques and Applications in Medical Imaging*, vol. 7766, pp. 48–58, 2013.

- 
- [36] L. Petrusca, P. Cattin, V. D. Luca, F. Preiswerk, Z. Celicanin, V. Auboiroux, M. Viallon, P. Arnold, F. Santini, K. Scheffler, C. D. Becker, and R. Salomir, "Hybrid us/mr simultaneous acquisition and image fusion for motion monitoring in the upper abdomen," *Investigative Radiology*, vol. 48, no. 5, pp. 333–40, May 2013, IF=4.593. DOI: [10.1097/RLI.0b013e31828236c3](https://doi.org/10.1097/RLI.0b013e31828236c3).
- [37] A. Šerifović-Trbalić, D. Demirović, and P. C. Cattin, "Intensity-based hierarchical elastic registration using approximating splines," *J. Computer Assisted Radiology and Surgery (CARS)*, vol. 9, pp. 21–7, 2013. DOI: [10.1007/s11548-013-0906-7](https://doi.org/10.1007/s11548-013-0906-7).
- [38] K. Weier, S. Pezold, M. Andelova, M. Amann, S. Magon, Y. Naegelin, E. Radue, C. Stippich, A. Gass, L. Kappos, P. Cattin, and T. Sprenger, "Both spinal cord volume and spinal cord lesions impact physical disability in multiple sclerosis," *Multiple Sclerosis Journal*, no. 19 (Suppl.) 2013.
- [39] M. Buscema, M. N. Holme, H. Deyhle, G. Schulz, R. Schmitz, P. Thalmann, S. E. Hieber, N. Chicherova, P. C. Cattin, F. Beckmann, J. Herzen, T. Weitkamp, T. Saxer, and B. Müller, "Grating interferometry-based phase microtomography of atherosclerotic human arteries," *Proc. SPIE Developments in X-Ray Tomography*, vol. 9212, 2014. DOI: [10.1117/12.2060443](https://doi.org/10.1117/12.2060443).
- [40] Z. Celicanin, O. Bieri, F. Preiswerk, P. C. Cattin, K. Scheffler, and F. Santini, "Simultaneous acquisition of image and navigator slices using CAIPIRINHA for 4D-MR imaging," *Magnetic Resonance in Medicine (MRM)*, 2014. DOI: [10.1002/mrm.25134](https://doi.org/10.1002/mrm.25134).
- [41] C. Gyger, R. Cattin, P. W. Hasler, and P. Maloca, "Three-dimensional speckle reduction in optical coherence tomography through structural guided filtering," *Optical Engineering*, vol. 57, pp. 073105–1–073105–10, 2014.
- [42] F. Preiswerk, V. D. Luca, P. Arnold, Z. Celicanin, L. Petrusca, C. Tanner, R. Salomir, and P. C. Cattin, "Model-guided respiratory organ motion prediction of the liver from 2d ultrasound," *Medical Image Analysis*, vol. 18, no. 5, pp. 740–51, 2014, IF=4.512. DOI: [10.1016/j.media.2014.03.006](https://doi.org/10.1016/j.media.2014.03.006).
- [43] K. Baek, W. Deibel, D. Marinov, M. Griessen, A. Bruno, P. Cattin, and P. Juergens, "Clinical applicability of robot-guided contact-free laser osteotomy in cranio-maxillo-facial surgery: In-vitro simulation and in-vivo surgery in minipig mandibles," *British Journal of Oral and Maxillofacial Surgery*, vol. 53, no. 10, pp. 976–81, Dec. 2015. DOI: [10.1016/j.bjoms.2015.07.019](https://doi.org/10.1016/j.bjoms.2015.07.019).
- [44] K.-W. Baek, W. Deibel, D. Marinov, M. Griessen, M. Dard, A. Bruno, H.-F. Zeilhofer, P. Juergens, and P. Cattin, "A comparative investigation of bone surface after cutting with mechanical tools and er:yag laser," *Lasers in Surgery*, vol. 47, pp. 426–32, 2015. [Online]. Available: <http://authorservices.wiley.com/bauthor/addart.asp?articleid=3123434-1402130>.
- [45] G. Jost, J. Walti, L. Mariani, and P. C. Cattin, "A novel approach to navigated implantation of S2 alar iliac screws using inertial measurement units," *Journal of Neurosurgery: Spine*, Nov. 2015. DOI: [10.3171/2015.6.SPINE1594](https://doi.org/10.3171/2015.6.SPINE1594).
- [46] M. Amann, S. Pezold, Y. Naegelin, K. Fundana, M. Andelova, K. Weier, C. Stippich, L. Kappos, E.-W. Radue, P. Cattin, and T. Sprenger, "Reliable volumetry of the cervical spinal cord in ms patient follow-up data with cord image analyzer (cordial)," *Journal of Neurology*, vol. 263, no. 7, pp. 1364–74, 2016. DOI: [10.1007/s00415-016-8133-0](https://doi.org/10.1007/s00415-016-8133-0).
- [47] N. Möri, C. Jud, R. Salomir, and P. Cattin, "Leveraging respiratory organ motion for non-invasive tumor treatment devices: A feasibility study," *Physics in Medicine and Biology*, vol. 61, no. 11, pp. 4247–67, May 2016. DOI: [10.1088/0031-9155/61/11/4247](https://doi.org/10.1088/0031-9155/61/11/4247).

- 
- [48] A. Schneider, S. Pezold, K.-w. Baek, D. Marinov, and P. C. Cattin, "Simultaneous intrinsic and extrinsic calibration of a laser deflecting tilting mirror in the projective voltage space," *International Journal of Computer Assisted Radiology and Surgery (JCARS)*, vol. 11, no. 9, pp. 1611–21, 2016. DOI: [10.1007/s11548-016-1435-y](https://doi.org/10.1007/s11548-016-1435-y). [Online]. Available: <http://link.springer.com/article/10.1007/s11548-016-1435-y>.
- [49] S. Wyder, F. Hennings, S. Pezold, J. Hrbacek, and P. C. Cattin, "With gaze tracking towards noninvasive eye cancer treatment," *IEEE Transactions on Biomedical Engineering (TBME)*, 2016. DOI: [10.1109/TBME.2015.2505740](https://doi.org/10.1109/TBME.2015.2505740).
- [50] S. Andermatt, A. Papadopoulou, E.-W. Radue, T. Sprenger, and P. C. Cattin, "Tracking the evolution of cerebral gadolinium-enhancing lesions to persistent t1 black holes in multiple sclerosis: Validation of a semiautomated pipeline," *J. Neuroimaging*, Mar. 30, 2017. DOI: [10.1111/jon.12439](https://doi.org/10.1111/jon.12439).
- [51] A. Giger, C. Jud, and P. C. Cattin, "Respiratory motion compensation for the robot-guided laser osteotome," *International Journal of Computer Assisted Radiology and Surgery (JCARS)*, vol. 12, no. 10, pp. 1751–62, 2017. DOI: [10.1007/s11548-017-1543-](https://doi.org/10.1007/s11548-017-1543-).
- [52] G. F. Jost, J. Walti, L. Mariani, S. Schaeren, and P. Cattin, "Inertial measurement unit-assisted implantation of thoracic, lumbar, and sacral pedicle screws improves precision of a freehand technique," *World Neurosurgery*, vol. 103, pp. 11–18, Feb. 27, 2017. DOI: [10.1016/j.wneu.2017.02.079](https://doi.org/10.1016/j.wneu.2017.02.079).
- [53] K. Jost, S. Scherer, C. D. Angelis, M. Buechler, A. N. Datta, P. C. Cattin, U. Frey, B. Suki, and S. Schulzke, "Surface electromyography for analysis of heart rate variability in preterm infants," *Physiological Measurement*, vol. 39, no. 1, 2017. DOI: [10.1088/1361-6579/aa996a](https://doi.org/10.1088/1361-6579/aa996a).
- [54] M. Schlee, T. Schad, J. H. Koch, P. Cattin, and F. Rathe, "Clinical performance of self-assembling peptide P11-4 in treatment of initial proximal carious lesions ? a practice based case series," *Clinical Dentistry*, 2017. DOI: [10.1111/jicd.12286](https://doi.org/10.1111/jicd.12286).
- [55] J. Wagner, D. Goldblum, and P. C. Cattin, "Golden angle based scanning for robust corneal topography with OCT," *Biomedical Optics Express*, vol. 8, no. 2, pp. 475–83, Feb. 1, 2017. DOI: [10.1364/BOE.8.000475](https://doi.org/10.1364/BOE.8.000475).
- [56] S. Wyder and P. C. Cattin, "Eye tracker accuracy: Quantitative evaluation of the invisible eye center location," *arXiv*, 2017. [Online]. Available: <https://arxiv.org/pdf/1705.07589.pdf>.
- [57] H. Abbasi, G. Rauter, R. Guzman, P. C. Cattin, and A. Zam, "Laser-induced breakdown spectroscopy as a potential tool for auto carbonization detection in laserosteotomy," *Biomedical Optics*, vol. 23, no. 7, 2018, in print. DOI: [10.1117/1.JBO.23.7.071206](https://doi.org/10.1117/1.JBO.23.7.071206).
- [58] A. Altermatt, F. Santini, X. Deligianni, S. Magon, T. Sprenger, L. Kappos, P. Cattin, J. Wuerfel, and L. Gaetano, "Design and construction of an innovative brain phantom prototype for magnetic resonance imaging," *Magnetic Resonance in Medicine*, pp. 1–7, 2018. DOI: [10.1002/mrm.27464](https://doi.org/10.1002/mrm.27464).
- [59] M. Augello, W. Deibel, K. Nuss, P. Cattin, and P. Jürgens, "Comparative microstructural analysis of bone osteotomies after cutting by computer-assisted robot-guided laser osteotome and piezoelectric osteotome: An in vivo animal study," *Laser in Medical Science*, Apr. 2, 2018. DOI: [10.1007/s10103-018-2502-0](https://doi.org/10.1007/s10103-018-2502-0).
- [60] L. M. B. Bernal, I. T. Schmidt, N. Vulin, J. Widmer, J. G. Snedeker, P. C. Cattin, A. Zam, and G. Rauter, "Optimizing controlled laser cutting of hard tissue (bone)," *Automatisierungstechnik*, 2018, in press.

- 
- [61] N. Chicherova, S. E. Hieber, A. Khimchenko, C. Bikis, B. Müller, and P. Cattin, “Automatic deformable registration of histological slides to  $\mu$ CT volume 3D-data,” *Journal of Microscopy*, vol. 271, no. 1, pp. 49–61, 2018. DOI: [10.1111/jmi.12692](https://doi.org/10.1111/jmi.12692).
- [62] A. Giger, M. Stadelmann, F. Preiswerk, C. Jud, V. D. Luca, Z. Celicanin, O. Bieri, R. Salomir, and P. Cattin, “Ultrasound-driven 4d mri,” *Physics in Medicine and Biology (PMB)*, vol. 63, no. 2018, p. 145015, Jul. 16, 2018. DOI: [10.1088/1361-6560/aaca1d](https://doi.org/10.1088/1361-6560/aaca1d).
- [63] L. Iafolla, L. Witthauer, A. Zam, G. Rauter, and P. C. Cattin, “Proof of principle of a novel angular sensor concept for tracking systems,” *Sensor and Actuators: A Physical*, vol. 280, no. 2018, pp. 390–8, 2018, inpress. DOI: [10.1016/j.sna.2018.08.012](https://doi.org/10.1016/j.sna.2018.08.012).
- [64] G. Jost, J. Walti, L. Mariani, S. Schaeren, and P. Cattin, “Inertial measurement unit - assisted implantation of pedicle screws in combination with an intraoperative 3d/2d visualization of the spine,” *Neurosurgery*, 2018. DOI: [10.1093/ons/opy141](https://doi.org/10.1093/ons/opy141).
- [65] O. Lorton, P. Guillemin, N. Möri, S. Terraz, L. A. Crowe, C. D. Becker, P. Cattin, R. Salomir, and L. Gui, “Self-scanned hifu ablation of moving tissue using real-time hybrid us-mr imaging,” *IEEE Transactions on Biomedical Engineering (TBME)*, 2018, minor revision.
- [66] P. M. Maloca, J. E. R. de Carvalho, T. Heeren, P. W. Hasler, F. Mushtaq, M. Mon-Williams, H. P. Scholl, K. Balaskas, C. Egan, A. Tufail, L. Witthauer, and P. C. Cattin, “High-performance virtual reality volume rendering of original optical coherence tomography point-cloud data enhanced with real-time ray casting,” *Translational Vision Science & Technology (TVST)*, 2018. DOI: [10.1167/tvst.7.4.2](https://doi.org/10.1167/tvst.7.4.2).
- [67] C. Tsagkas, A. Altermatt, U. Bonati, S. Pezold, J. Reinhard, M. Amann, P. Cattin, J. Wuerfel, D. Fischer, K. Parmar, and A. Fischmann, “Reliable and fast volumetry of the lumbar spinal cord using cord image analyzer (cordial),” *European Radiology*, 2018, in press.
- [68] C. Tsagkas, S. Magon, L. Gaetano, S. Pezold, Y. Naegelin, M. Amann, C. Stippich, P. Cattin, J. Wuerfel, O. Bieri, T. Sprenger, L. Kappos, and K. Parmar, “Preferential spinal cord volume loss in primary progressive multiple sclerosis,” *Multiple Sclerosis Journal*, 2018, in press.
- [69] —, “Spinal cord volume loss: A marker of disease progression in multiple sclerosis,” *Neurology*, Apr. 19, 2018.
- [70] S. Wyder and P. C. Cattin, “Eye tracker accuracy: Quantitative evaluation of the invisible eye center location international journal of computer assisted radiology and surgery,” *International Journal of Computer Assisted Radiology and Surgery*, 2018.
- [71] S. Kiriyanthan, K. Fundana, T. Majeed, and P. C. Cattin, “Discontinuity preserving image registration through motion segmentation: A primal-dual approach,” *Int. J. Computational and Mathematical Methods in Medicine*, DOI: <http://dx.doi.org/10.1155/2016/9504949>.

## Reviewed Conference Papers

- [1] P. C. Cattin, D. Zlatnik, and R. Borer, “Sensor fusion for a biometric system using gait,” in *Multisensor Fusion and Integration for Intelligent Systems (MFI)*, Aug. 2001, pp. 233–8.
- [2] P. Cattin, D. Zlatnik, and R. Borer, “Biometric system using human gait,” in *Mechatronics and Machine Vision in Practice (M2VIP)*, Aug. 2001.
- [3] P. Cattin, “Personendetektor für mobile Roboter,” in *Robotik 2002*, ser. VDI-Berichte, vol. 1679, Jun. 2002, pp. 603–8.

- 
- [4] P. Cattin, H. Dave, J. Grünenfelder, G. Székely, M. Turina, and G. Zünd, “Characterization of remaining coronary artery motion after octopus stabilization,” in *Journal of the European Association for Cardio-thoracic Surgery (EACTS)*, Oct. 2003.
- [5] A. Andronache, P. Cattin, and G. Székely, “Adaptive subdivision for hierarchical non-rigid registration of multi-modal images using mutual information,” in *Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, vol. 3750, Springer-Verlag GmbH, Oct. 2005, pp. 976–83. DOI: [10.1007/11566489\\_120](https://doi.org/10.1007/11566489_120).
- [6] G. Bianchi, C. Wengert, M. Harders, P. Cattin, and G. Székely, “Camera-marker alignment framework and comparison with hand-eye calibration for augmented reality applications,” in *ISMAR*, Oct. 2005, pp. 188–9. DOI: [10.1109/ISMAR.2005.24](https://doi.org/10.1109/ISMAR.2005.24).
- [7] M. von Siebenthal, P. C. Cattin, A. Lomax, and G. Székely, “Time resolved dose calculations for proton therapy based on internally gated 4D MR imaging,” in *Radiology and Oncology*, vol. 76, Sep. 2005, p. 60.
- [8] M. von Siebenthal, P. Cattin, U. Gamper, A. Lomax, and G. Székely, “4D MR imaging using internal respiratory gating,” in *Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, vol. 3750, Springer-Verlag GmbH, Oct. 2005, pp. 336–43. DOI: [10.1007/11566489\\_42](https://doi.org/10.1007/11566489_42).
- [9] D. Wald, M. Reeff, G. Székely, P. Cattin, and D. Paulus, “Fließende Überblendung von Endoskopiebildern für die Erstellung eines Mosaiks,” in *Bildverarbeitung für die Medizin*, Heidelberg, 2005, pp. 287–291. [Online]. Available: <http://www.bvm-workshop.org/>.
- [10] A. Andronache, P. C. Cattin, and G. Székely, “Local intensity mapping for hierarchical non-rigid registration of multi-modal images using the cross-correlation coefficient,” in *Third International Workshop on Biomedical Image Registration (WBIR)*, ser. LNCS, 2006, pp. 26–33. DOI: [http://dx.doi.org/10.1007/11784012\\_4](http://dx.doi.org/10.1007/11784012_4).
- [11] P. C. Cattin, H. Bay, L. V. Gool, and G. Székely, “Retina mosaicing using local features,” in *Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, ser. LNCS, vol. 4191, Springer-Verlag, 2006, pp. 185–192. DOI: [http://dx.doi.org/10.1007/11866763\\_23](http://dx.doi.org/10.1007/11866763_23).
- [12] P. Čech, A. Andronache, L. Wang, G. Székely, and P. Cattin, “Piecewise rigid multimodal spine registration,” in *Bildverarbeitung für die Medizin*, 2006, pp. 211–5.
- [13] P. Čech, P. C. Cattin, and G. Székely, “Automatic identification of critical landmarks on the third ventricle,” in *INFORMATIK 2006: Informatik für Menschen*, C. Hochberger and R. Liskowsky, Eds., ser. Lecture Notes in Informatics, vol. P-93, Dresden, Germany: Köllen, Oct. 2006, pp. 459–466, ISBN: 978-3-88579187-4.
- [14] T. Kovács, P. Cattin, H. Alkadhi, S. Wildermuth, and G. Székely, “Automatic segmentation of the vessel lumen from 3D CTA images of aortic dissection,” in *Bildverarbeitung für die Medizin*, 2006, pp. 161–5.
- [15] T. Kovács, P. Cattin, H. Alkadhi, S. Wildermuth, and G. Székely, “Automatic segmentation of the aortic dissection membrane from 3D CTA images,” in *International Workshop on Medical Imaging and Augmented Reality (MIAR)*, 2006, pp. 317–24. DOI: [http://dx.doi.org/10.1007/11812715\\_40](http://dx.doi.org/10.1007/11812715_40).
- [16] M. Reeff, F. Gerhard, P. Cattin, and G. Székely, “Mosaicing of endoscopic placenta images,” in *INFORMATIK 2006: Informatik für Menschen*, C. Hochberger and R. Liskowsky, Eds., ser. Lecture Notes in Informatics, vol. P-93, Dresden, Germany: Köllen, Oct. 2006, pp. 467–474.



- 
- [17] M. von Siebenthal, P. C. Cattin, A. Lomax, and G. Székely, “The variability of respiratory liver motion and its influence on gating accuracy,” in *J. of the European Society for Therapeutic Radiology and Oncology (ESTRO Meeting on physics and radiation technology for clinical radiotherapy)*, 2006.
- [18] C. Wengert, P. C. Cattin, J. M. Duff, and G. Székely, “Markerless endoscopic registration and referencing,” in *Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, 2006, pp. 816–23. DOI: [http://dx.doi.org/10.1007/11866565\\_100](http://dx.doi.org/10.1007/11866565_100).
- [19] C. Wengert, M. Reeff, P. C. Cattin, and G. Székely, “Fully automatic endoscope calibration for intraoperative use,” in *Bildverarbeitung für die Medizin*, 2006, pp. 419–23.
- [20] P. Cech, G. Szekely, and P. Cattin, “Segmentation of the ventricular system of the brain and computational fluid simulation of cerebrospinal fluid,” in *Computer Aided Surgery around the Head: 4th International CAS-H Conference Proceedings*, W. Freysinger, S. Weber, and M. Caversaccio, Eds., Innsbruck, Austria: Pro BUSINESS, Feb. 2007, pp. 25–27, ISBN: 978-3-939533-91-7.
- [21] M. von Siebenthal, G. Szekely, A. Lomax, and P. Cattin, “Inter-subject modelling of liver deformation during radiation therapy,” in *MICCAI*, ser. LNCS 4791, 2007, pp. 659–66.
- [22] C. Wengert, L. Bossard, A. Häberling, C. Baur, G. Székely, and P. C. Cattin, “Endoscopic navigation for minimally invasive suturing,” in *MICCAI*, ser. LNCS 4792, 2007, pp. 620–7.
- [23] C. Wengert, J. M. Duff, C. Baur, G. Székely, and P. C. Cattin, “Fiducial-free endoscopic vertebra referencing,” in *CAOS*, 2007.
- [24] E. Wilde and P. Cattin, “Presenting in HTML,” in *ACM Symposium on Document Engineering (DocEng)*, Poster, 2007.
- [25] E. Wilde, P. Cattin, and F. Michel, “Web-based presentations,” in *Berliner XML Tage*, Sep. 2007.
- [26] S. C. Saur, H. Alkadhi, L. Desbiolles, G. Szekely, and P. C. Cattin, “Automatic detection of calcified coronary plaques in computed tomography data sets,” in *MICCAI*, ser. 5241, 2008, pp. 170–7.
- [27] S. C. Saur, C. Kühnel, T. Boskamp, G. Székely, and P. Cattin, “Automatic ascending aorta detection in CTA datasets,” in *Bildverarbeitung für die Medizin*, 2008, pp. 323–7.
- [28] D. Demirovic, A. Serifovic, and P. C. Cattin, “An anisotropic diffusion regularized demons for improved registration of sliding organs,” in *18th International Electrotechnical and Computer Science Conference (ERK)*, 2009, BM.1.4.
- [29] S. C. Saur, H. Alkadhi, L. Regazzoni, S. Eugster, G. Székely, and P. Cattin, “Contrast enhancement with dual energy CT for the assessment of atherosclerosis,” in *Bildverarbeitung für der Medizin*, ser. Informatik aktuell, 2009, pp. 61–5.
- [30] H. Grabner, J. Matas, L. V. Gool, and P. C. Cattin, “Tracking the invisible: Learning where the object might be,” in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, oral, 2010, pp. 1285–92.
- [31] B. Henrich, S. G. Priglinger, T. Josifova, and P. C. Cattin, “Staining of the internal limiting membrane with Brilliant Blue G yields lower contrasts than staining with indocyanine green. a quantitative assessment,” in *Association for Research in Vision and Ophthalmology (ARVO)*, Poster, 2010.
- [32] H. Lu, P. C. Cattin, and M. Reyes, “A hybrid multimodal non-rigid registration of MR images based on diffeomorphic demons,” in *IEEE Engineering in Medicine and Biology Conference (EMBC)*, 2010, pp. 5951–4. DOI: [10.1109/IEMBS.2010.5627562](https://doi.org/10.1109/IEMBS.2010.5627562).

- 
- [33] H. Lu, M. Reyes, A. Serifovic-Trbalic, S. Weber, Y. Sakurai, H. Yamagata, and P. C. Cattin, "Multi-modal diffeomorphic demons registration based on point-wise mutual information," in *IEEE International Symposium on biomedical Imaging (ISBI)*, 2010, pp. 372–5.
- [34] L. Petrusca, P. Arnold, T. Goget, Z. Celicanin, V. Auboiroux, M. Viallon, F. Santini, V. D. Luca, S. Terraz, C. Tanner, K. Scheffler, C. D. Becker, P. Cattin, and R. Salomir, "Simultaneous Ultrasound/MRI motion monitoring in the abdomen," in *Interventional MRI Symposium (iMRI)*, oral, 2010, pp. V–55.
- [35] P. Arnold, F. Preiswerk, B. Fasel, R. Salomir, K. Scheffler, and P. C. Cattin, "3D organ motion prediction for MR-guided High Intensity Focused Ultrasound," in *MICCAI*, ser. Lecture Notes in Computer Science, oral, vol. 6892, 2011, pp. 623–30. DOI: [10.1007/978-3-642-23629-7\\_76](https://doi.org/10.1007/978-3-642-23629-7_76).
- [36] Z. Celicanin, F. Preiswerk, P. Arnold, P. C. Cattin, K. Scheffler, and F. Santini, "Simultaneous acquisition of image and navigator slices using caipirinha," in *Proc. Intl. Soc. Mag. Reson. Med.*, vol. 19, 2011, p. 4399.
- [37] H.-J. Crooijmans, F. Santini, P. C. Cattin, O. M. Weber, and K. Scheffler, "Quantification of blood flowing through the tricuspid valves throughout the cardiac cycle," in *European Society for Magnetic Resonance in Medicine and Biology (ESMRMB)*, 2011.
- [38] P. B. Henrich, S. Priglinger, R. W. Strauss, C. Haritoglou, T. Josifova, J. Flammer, and P. C. Cattin, "Quantification of contrast recognizability during Trypan Blue (TB) assisted chromovitrectomy," in *ARVO*, 2011.
- [39] C. Huber, C. Nüesch, B. Göpfert, P. C. Cattin, and V. V. Tschärner, "Detection of muscle activation patterns during gait using principal component analysis," in *Deutsche Gesellschaft für Biomechanik*, talk, 2011.
- [40] C. Huber, C. Nüesch, B. Göpfert, P. C. Cattin, and V. von Tschärner, "Muscular fine-timing and inter-muscular coordination during walking," in *Int. Society of Biomechanics (ISB)*, 2011.
- [41] S. Kiriyanthan, K. Fundana, and P. Cattin, "Discontinuity preserving registration through motion segmentation with continuous cuts," in *Swiss Numerics Colloquium*, Università della Svizzera italiana (USI), Lugano, Switzerland, May 2011.
- [42] S. Kühl, S. Zürcher, T. Majeed, P. Cattin, M. Müller-Gerbl, M. Kreisler, A. Filippi, and T. Lambrecht, "Genauigkeit der "voll geführten" im Vergleich zur "halb geführten" Implantatchirurgie," in *Arbeitsgemeinschaft für Kieferchirurgie (AgKi) und Arbeitskreises für Oralpathologie und Oralmedizin (AKOPOM)*, 2011.
- [43] H. Lu, P. C. Cattin, L.-P. Nolte, and M. Reyes, "Diffusion weighted imaging distortion correction using hybrid multimodal image registration," in *IEEE International Symposium on biomedical Imaging (ISBI)*, 2011, pp. 594–7.
- [44] L. Petrusca, V. D. Luca, P. Arnold, Z. Celicanin, T. Goget, V. Auboiroux, M. Viallon, F. S. and Christine Tanner, S. Terraz, P. Cattin, and R. Salomir, "Ultrasound/MR hybrid imaging: Truly simultaneous motion monitoring in the abdomen and image co-registration," in *Proc. Intl. Soc. Mag. Reson. Med.*, oral, vol. 19, 2011.
- [45] K. Schweizer, J. Romkes, P. Cattin, C. Huber, and R. Brunner, "Principal component analysis: An objective method for selecting a representative trial out of several movement analysis curves," in *Deutsche Gesellschaft für Biomechanik*, poster, 2011.
- [46] P. Arnold, F. Preiswerk, B. Fasel, R. Salomir, K. Scheffler, and P. Cattin, "Model-based respiratory motion compensation in MRgHIFU," in *Information Processing in Computer-Assisted Interventions (IPCAI)*, vol. 7330, 2012, pp. 54–63. DOI: [10.1007/978-3-642-30618-1\\_6](https://doi.org/10.1007/978-3-642-30618-1_6).

- 
- [47] S. Kiriyanthan, K. Fundana, and P. C. Cattin, “Discontinuity preserving registration through motion segmentation with continuous cuts,” in *Abdominal Imaging. Computational and Clinical Applications*, ser. LNCS, vol. 7029, 2012, pp. 231–9.
- [48] S. Kiriyanthan, K. Fundana, T. Majeed, and P. C. Cattin, “A landmark-based primal-dual approach for discontinuity preserving registration,” in *Abdominal Imaging. Computational and Clinical Applications*, ser. LNCS, vol. 7601, 2012, pp. 137–46.
- [49] S. Kiriyanthan, T. Majeed, K. Fundana, and P. C. Cattin, “A primal-dual approach for discontinuity preserving registration,” in *IEEE International Symposium on Biomedical Imaging (ISBI)*, 2012, pp. 350–3. DOI: [10.1109/ISBI.2012.6235556](https://doi.org/10.1109/ISBI.2012.6235556).
- [50] T. Majeed, K. Fundana, S. Kiriyanthan, J. Beinemann, and P. Cattin, “Graph cut segmentation using a constrained statistical model with non-linear and sparse shape optimization,” in *MICCAI Workshop Medical Computer Vision*, 2012, pp. 38–47. DOI: [10.1007/978-3-642-36620-8\\_6](https://doi.org/10.1007/978-3-642-36620-8_6).
- [51] T. Majeed, K. Fundana, S. Kiriyanthan, M. Lüthi, J. Beinemann, and P. C. Cattin, “Using a flexibility constrained 3D statistical shape model for robust MRF-based segmentation,” in *Mathematical Models in Biomedical Image Analysis (MMBIA)*, oral, 2012, pp. 57–64.
- [52] T. Majeed, K. Fundana, M. Lüthi, J. Beinemann, and P. C. Cattin, “A shape prior-based MRF model for 3D masseter muscle segmentation,” in *SPIE Image Processing*, vol. 8314, 2012, O0–O7. DOI: [10.1117/12.910925](https://doi.org/10.1117/12.910925).
- [53] F. Preiswerk, P. Arnold, B. Fasel, and P. Cattin, “Robust tumour tracking from 2d imaging using a population-based statistical motion model,” in *Mathematical Models in Biomedical Image Analysis (MMBIA)*, oral, Jan. 2012, pp. 209–14.
- [54] F. Preiswerk, P. Arnold, B. Fasel, and P. C. Cattin, “A bayesian framework for estimating respiratory liver motion from sparse measurements,” in *Abdominal Imaging. Computational and Clinical Applications*, ser. Lecture Notes in Computer Science, vol. 7029, 2012, pp. 207–14. DOI: [http://dx.doi.org/10.1007/978-3-642-28557-8\\_26](http://dx.doi.org/10.1007/978-3-642-28557-8_26).
- [55] —, “Towards more precise, minimally-invasive tumour treatment under free breathing,” in *IEEE Engineering in Medicine and Biology (EMBC)*, invited paper, Sep. 2012, pp. 3748–3751. DOI: [10.1109/EMBC.2012.6346782](https://doi.org/10.1109/EMBC.2012.6346782).
- [56] K. Schweizer, J. Romkes, P. C. Cattin, C. Huber, M. Freslier, and R. Brunner, “A new principal component analysis based algorithm for the selection of a representative trial out of several measurements for one subject,” in *SOFAMEA*, 2012, pp. 25–6.
- [57] D. Demirović, A. Šerifović-Trbalić, and P. C. Cattin, “Bilateral filter regularized accelerated demons for better discontinuities registration,” in *Computer Assisted Radiology and Surgery (CARS)*, vol. 8, 2013, S299–S300. DOI: [10.1007/s11548-013-0880-0](https://doi.org/10.1007/s11548-013-0880-0).
- [58] D. Demirovic, A. Serifovic, and P. C. Cattin, “Evaluation of opengl native math functions for image processing algorithms,” in *International Conference on Information, Communication and Automation Technologies (ICAT)*, 2013.
- [59] A. Šerifović-Trbalić, D. Demirović, and P. C. Cattin, “Intensity-based hierarchical elastic registration using approximating splines,” in *Computer Assisted Radiology and Surgery (CARS)*, vol. 8, 2013, S299. DOI: [10.1007/s11548-013-0880-0](https://doi.org/10.1007/s11548-013-0880-0).
- [60] K. Shahim, P. Jürgens, P. Cattin, and M. Reyes, “Prediction of cranio-maxilofacial surgical planning using an inverse soft tissue modelling approach,” in *Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, ser. LNCS 8149, vol. Part I, 2013, pp. 18–25.

- 
- [61] K.-W. Baek, W. Deibel, D. Marinov, M. Griessen, A. Bruno, P. C. Cattin, and P. Juergens, "Using a computer-assisted and robot-guided laser osteotome for mandibular osteotomies - considerations on system accuracy and biological response," in *International Congress on Computer Assisted Surgery and Radiology*, 2014.
- [62] N. Chicherova, K. Fundana, B. Müller, and P. Cattin, "Histology to  $\mu$ CT data matching using landmarks and a density biased RANSAC," in *MICCAI*, ser. Lecture Notes in Computer Science, 2014, pp. 243–50. DOI: [10.1007/978-3-319-10404-1\\_31](https://doi.org/10.1007/978-3-319-10404-1_31).
- [63] D. Demirović, A. Serifovic, N. Prljaca, and P. C. Cattin, "Evaluation of image processing algorithms on arm powered mobile devices," in *International Convention on Information and Communication Technology, Electronics and Microelectronics (MIPRO DC-VIS)*, 2014, pp. 434–7.
- [64] K. Fundana, O. Bieri, and P. C. Cattin, "Discontinuity preserving convex image registration model for MRI of the lung," in *ISMRM*, 2014.
- [65] A. Kyriakou, E. Neufeld, F. Preiswerk, B. Lloyd, P. Cattin, G. Szekely, and N. Kuster, "Modeling of motion tracking and focusing strategies in HIFU ablation of hepatic tumors," in *International Society for Therapeutic Ultrasound (ISTU)*, poster, 2014.
- [66] S. Pezold, M. Amann, K. Weier, K. Fundana, E. W. Radue, T. Sprenger, and P. C. Cattin, "A semi-automatic method for the quantification of spinal cord atrophy," in *Computational Methods and Clinical Applications for Spine Imaging*, ser. Lecture Notes in Computational Vision and Biomechanics, vol. 17, 2014, pp. 143–55. DOI: [10.1007/978-3-319-07269-2\\_13](https://doi.org/10.1007/978-3-319-07269-2_13).
- [67] F. Preiswerk and P. C. Cattin, "A bilinear model for temporally coherent respiratory motion," in *Workshop on Abdominal Imaging: Computational Challenges and Clinical Applications*, 2014.
- [68] A. Schneider, C. Baumberger, M. Griessen, S. Pezold, J. Beinemann, P. Jürgens, and P. C. Cattin, "Landmark-based surgical navigation," in *MICCAI Workshop on Clinical Image-based Procedures: Translational Research in Medical Imaging*, ser. Lecture Notes on Computational Sciences, 2nd Best Paper Award, vol. 8361, 2014, pp. 57–64. DOI: [10.1007/978-3-319-05666-1\\_8](https://doi.org/10.1007/978-3-319-05666-1_8).
- [69] A. Schneider, S. Pezold, A. Sauer, J. Ebbing, S. Wyler, R. Rosenthal, and P. C. Cattin, "Augmented reality assisted laparoscopic partial nephrectomy," in *MICCAI*, ser. Lecture Notes in Computer Science, vol. 8674, 2014, pp. 357–64. DOI: [10.1007/978-3-319-10470-6\\_45](https://doi.org/10.1007/978-3-319-10470-6_45).
- [70] A. Serifovic, A. Trbalic, D. Demirović, N. Prljaca, and P. C. Cattin, "Classification of benign and malignant masses in breast mammograms," in *International Convention on Information and Communication Technology, Electronics and Microelectronics (MIPRO DC-VIS)*, 2014, pp. 241–6.
- [71] J. Walti, G. Jost, and P. C. Cattin, "A new cost-effective approach to pedicular screw placement," in *MICCAI AE-CAI*, ser. Lecture Notes in Computer Science, vol. 8678, 2014, pp. 90–7. DOI: [10.1007/978-3-319-10437-9\\_10](https://doi.org/10.1007/978-3-319-10437-9_10).
- [72] M. Amann, S. Pezold, Y. Naegelin, K. Fundana, M. Andelova, K. Weier, C. Stippich, L. Kappos, P. Cattin, and T. Sprenger, "Rapid segmentation of the cervical spinal cord on 3d MRI data with cord image analyzer (cordial): Application to three-year follow-up data of MS patients with a progressive disease course," in *ISMRM*, 2015.
- [73] W. Deibel, A. Schneider, M. Augello, A. E. Bruno, P. Juergens, and P. Cattin, "A compact, efficient, and lightweight laser head for carlo: Integration, performance, and benefits," in *Proc. of SPIE: Novel Optical Systems Design and Optimization*, vol. 9579, 2015. DOI: [10.1117/12.2187992](https://doi.org/10.1117/12.2187992).
- [74] C. Jud, F. Preiswerk, and P. C. Cattin, "Respiratory motion compensation with topology independent surrogates," in *Imaging and Computer Assistance in Radiation Therapy (ICART)*, 2015, pp. 97–104.

- 
- [75] S. Pezold, K. Fundana, M. Amann, M. Andelova, A. Pfister, T. Sprenger, and P. C. Cattin, “Automatic segmentation of the spinal cord using continuous max flow with cross-sectional similarity prior and tubularity features,” in *Recent Advances in Computational Methods and Clinical Applications for Spine Imaging*, 2015, pp. 107–118. DOI: [10.1007/978-3-319-14148-0\\_10](https://doi.org/10.1007/978-3-319-14148-0_10).
- [76] A. Schneider, S. Pezold, K.-w. Baek, D. Marinov, and P. C. Cattin, “Direct calibration of a laser ablation system in the projective voltage space,” in *Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, ser. LNCS 9349, 2015, pp. 274–81. DOI: [10.1007/978-3-319-24553-9\\_34](https://doi.org/10.1007/978-3-319-24553-9_34).
- [77] A. Schneider, P. Thalmann, S. Pezold, S. E. Hieber, and P. C. Cattin, “Augmented reality assisted brain tumor extraction in mice,” in *Augmented and Virtual Reality (AVR)*, ser. LNCS, vol. 9254, 2015, pp. 255–64. DOI: [10.1007/978-3-319-22888-4\\_19](https://doi.org/10.1007/978-3-319-22888-4_19).
- [78] S. Andermatt, S. Pezold, and P. Cattin, “Multi-dimensional gated recurrent units for the segmentation of biomedical 3d-data,” in *MICCAI Workshop: Deep Learning on Medical Image Analysis*, ser. LNCS, vol. 10008, 2016, pp. 142–51. DOI: [10.1007/978-3-319-46976-8\\_15](https://doi.org/10.1007/978-3-319-46976-8_15).
- [79] N. Chicherova, S. E. Hieber, G. Schulz, A. Khimchenko, C. Bikis, P. C. Cattin, and B. Müller, “Automatic histology registration in application to x-ray modalities,” in *SPIE: Developments in X-Ray Tomography X*, 9967 vols., 2016. DOI: [10.1117/12.2237322](https://doi.org/10.1117/12.2237322).
- [80] A. Horváth, S. Pezold, M. Weigel, K. Weier, O. Bieri, and P. Cattin, “Variational segmentation of the white and gray matter in the spinal cord using a shape prior,” in *International Workshop on Computational Methods and Clinical Applications for Spine Imaging (CSI)*, 2016, pp. 26–37. DOI: [10.1007/978-3-319-55050-3\\_3](https://doi.org/10.1007/978-3-319-55050-3_3).
- [81] G. F. Jost, J. Walti, L. Mariani, S. Schären, and P. C. Cattin, “A novel approach to navigated implantation of thoracic and lumbosacral pedicle screws using inertial measurement units,” in *Global Spine J*, Oral, Apr. 2016. DOI: [10.1055/s-0036-1582928](https://doi.org/10.1055/s-0036-1582928).
- [82] C. Jud, N. Möri, B. Bitterli, and P. C. Cattin, “Bilateral regularization in reproducing kernel hilbert spaces for discontinuity preserving image registration,” in *MICCAI Workshop Machine Learning in Medical Imaging (MLMI)*, 2016, pp. 10–7. DOI: [10.1007/978-3-319-47157-0\\_2](https://doi.org/10.1007/978-3-319-47157-0_2).
- [83] C. Jud, N. Möri, and P. C. Cattin, “Sparse kernel machines for discontinuous registration and nonstationary regularization,” in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR) Workshops*, 2016, pp. 9–16. (visited on ).
- [84] P. A. von Niederhäusern, O. C. Maas, M. Rissi, M. Schneebeli, S. Haerle, and P. C. Cattin, “Augmenting scintigraphy images with pinhole aligned endoscopic cameras: A feasibility study,” in *Medical Imaging and Augmented Reality (MIAR)*, ser. LNCS 9805, 2016, pp. 175–85. DOI: [10.1007/978-3-319-43775-0\\_16](https://doi.org/10.1007/978-3-319-43775-0_16).
- [85] S. Pezold, A. Horváth, K. Fundana, C. Tsagkas, M. Andelova, K. Weier, M. Amann, and P. C. Cattin, “Automatic, robust, and globally optimal segmentation of tubular structures,” in *Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, ser. LNCS, 2016, pp. 362–370. DOI: [10.1007/978-3-319-46726-942](https://doi.org/10.1007/978-3-319-46726-942).
- [86] T. Ronchetti, P. Maloca, C. Meier, S. Orgül, C. Jud, P. Hasler, B. Povazay, and P. C. Cattin, “Intensity-based choroidal registration using regularized block matching,” in *International Workshop Ophthalmic Medical Image Analysis (MICCAI OMA)*, Oct. 2016, pp. 33–40. [Online]. Available: [http://ir.uiowa.edu/omia/2016%5C\\_Proceedings/2016/](http://ir.uiowa.edu/omia/2016%5C_Proceedings/2016/).
- [87] R. Sandkuehler, C. Jud, and P. C. Cattin, “On a spectral image metric for non-rigid group-wise registration of dynamic mr image series,” in *Sixth International Workshop on Pulmonary Image Analysis (PIA)*, 2016, pp. 19–29.

- 
- [88] S. Wyder and P. C. Cattin, "Stereo eye tracking with a single camera for ocular tumor therapy," in *International Workshop Ophthalmic Medical Image Analysis (MICCAI OMIA)*, 2016, pp. 81–8.
- [89] H. Abbasi, L. Beltrán, G. Rauter, R. Guzman, P. C. Cattin, and A. Zam, "Effect of cooling water on ablation in er:yag laserosteotome of hard bone," in *Third International Conference on Applications of Optics and Photonics, Proc. SPIE*, vol. 10453, 2017. DOI: [10.1117/12.2272138](https://doi.org/10.1117/12.2272138).
- [90] S. Andermatt, S. Pezold, and P. C. Cattin, "Automated segmentation of multiple sclerosis lesions using multi-dimensional gated recurrent units," in *MICCAI Workshop Deep Learning in Medical Image Analysis*, in press, 2017.
- [91] L. Beltrán, H. Abbasi, G. Rauter, N. Friederich, P. Cattin, and A. Zam, "Effect of laser pulse duration on ablation efficiency of hard bone in microseconds regime," in *Proc. SPIE 10453*, vol. 10453, 2017. DOI: [10.1117/12.2272253](https://doi.org/10.1117/12.2272253).
- [92] M. Eugster, P. Weber, P. Cattin, A. Zam, G. Kosa, and G. Rauter, "Positioning and stabilization of a minimally invasive laser osteotome," in *Hamlyn Symposium on Medical Robotics*, 2017.
- [93] A. Horváth, S. Pezold, M. Weigel, K. Parmar, and P. Cattin, "High order slice interpolation for medical images," in *Workshop on Simulation and Synthesis in Medical Imaging (SASHIMI)*, accepted, 2017. [Online]. Available: [https://link.springer.com/chapter/10.1007/978-3-319-68127-6\\_8](https://link.springer.com/chapter/10.1007/978-3-319-68127-6_8).
- [94] C. Jud, A. Giger, R. Sandkühler, and P. C. Cattin, "A localized statistical motion model as a reproducing kernel for non-rigid image registration," in *Medical Image Computing and Computer Assisted Interventions (MICCAI)*, 2017, pp. 261–8. DOI: [10.1007/978-3-319-66185-830](https://doi.org/10.1007/978-3-319-66185-830).
- [95] C. Jud, R. Sandkühler, N. Möri, and P. Cattin, "Directional averages for motion segmentation in discontinuity preserving image registration," in *Medical Image Computing and Computer Assisted Interventions (MICCAI)*, 2017, pp. 249–56. DOI: [10.1007/978-3-319-66182-729](https://doi.org/10.1007/978-3-319-66182-729).
- [96] G. Kosa, G. Aiello, A. Zam, P. C. Cattin, and G. Rauter, "Automation of a flexoscope for laser osteotomy," in *Computer Assisted Orthopaedic Surgery (CAOS)*, Jun. 13, 2017, pp. 171–4.
- [97] N. Möri, L. Gui, C. Jud, O. Lorton, R. Salomir, and P. C. Cattin, "An optimal control approach for HIFU self-scanning treatment planning," in *MICCAI*, ser. LNCS, vol. II, 2017, pp. 532–60. DOI: [10.1007/978-3-319-66185-860](https://doi.org/10.1007/978-3-319-66185-860).
- [98] T. Nemptanu, Z. Celicanin, P. Cattin, O. Bieri, R. Aziza, K. Mkhitarian, L. Parent, and S. Ken, "Application of a novel retrospective method for liver 4D-MRI," vol. 44, 2017. DOI: [10.1016/j.ejmp.2017.10.029](https://doi.org/10.1016/j.ejmp.2017.10.029).
- [99] H. K. Nguendon, N. Faivre, B. Meylan, S. Shevchik, G. Rauter, R. Guzman, P. C. Cattin, K. Wasmer, and A. Zam, "Characterization of ablated porcine bone and muscle using laser-induced acoustic wave method for tissue differentiation," in *SPIE Medical Laser Applications and Laser-Tissue Interactions*, 10417 vols., vol. 10417, 2017. DOI: [10.1117/12.2286121](https://doi.org/10.1117/12.2286121).
- [100] T. Ronchetti, P. Maloca, C. Jud, C. Meier, S. Orgül, H. P. N. Scholl, B. Povazay, and P. C. Cattin, "Detecting early choroidal changes using piecewise rigid image registration and eye-shape adherent regularization," in *4th MICCAI Workshop Ophthalmic Medical Image Analysis (OMIA4)*, ser. LNCS, 2017, pp. 92–100. DOI: [10.1007/978-3-319-67561-9\\_10](https://doi.org/10.1007/978-3-319-67561-9_10).
- [101] C. Seppi, U. Nahum, P. A. von Niederhäusern, S. Pezold, M. Rissi, S. Härle, and P. C. Cattin, "Compressed sensing on multi-pinhole collimator spect camera for sentinel lymph node biopsy," in *Medical Image Computing and Computer Assisted Interventions (MICCAI)*, ser. LNCS, 2017, pp. 415–22. DOI: [10.1007/978-3-319-66185-847](https://doi.org/10.1007/978-3-319-66185-847).

- 
- [102] J. Wagner, S. Pezold, and P. C. Cattin, “Model-driven 3-d regularisation for robust segmentation of the refractive corneal surfaces in spiral OCT scans,” in *4th MICCAI Workshop on Ophthalmic Medical Image Analysis (OMIA4)*, 10554 vols., ser. LNCS, 2017, pp. 109–17. DOI: [10.1007/978-3-319-67561-9\\_12](https://doi.org/10.1007/978-3-319-67561-9_12).
- [103] H. Abbasi, G. Rauter, R. Guzman, P. C. Cattin, and A. Zam, “Differentiation of femur bone from surrounding soft tissue using laser induced breakdown spectroscopy as a feedback system for smart laserosteotomy,” in *Prof. SPIE Photonics Europe*, May 17, 2018. DOI: [10.1117/12.2309473](https://doi.org/10.1117/12.2309473).
- [104] —, “Plasma plume expansion dynamics in nanosecond nd:yag laserosteotome,” in *SPIE High-Speed Biomedical Imaging and Spectroscopy III*, vol. 10505, Feb. 20, 2018. DOI: [10.1117/12.2290980](https://doi.org/10.1117/12.2290980).
- [105] M. Ahmadi, R. H. Hassani, G. Kosa, A. Zam, R. Guzman, P. C. Cattin, and G. Rauter, “EndoCAT: An EtherCAT-based articulated rear view endoscope for single port surgery,” in *IEEE RAS/EMBS International Conference on Biomedical Robotics and Biomechatronics (BioRob)*, 2018.
- [106] L. M. Beltraán Bernal, G. Shayeganrad, G. Kosa, M. Zelechowski, G. Rauter, N. Friederich, P. C. Cattin, and A. Zam, “Performance of Er:YAG laser ablation of hard bone under different irrigation water cooling conditions,” in *Proc. SPIE 10492, Optical Interactions with Tissue and Cells*, vol. 10492, Feb. 13, 2018. DOI: [10.1117/12.2290929](https://doi.org/10.1117/12.2290929).
- [107] A. Giger, R. Sandkühle, C. Jud, G. Bauman, O. Bieri, R. Salomir, and P. C. Cattin, “Respiratory motion modelling using cgans,” in *Proc. Medical Image Computing and Computer Assisted Intervention (MICCAI)*, accepted, vol. 11073, Sep. 13, 2018, pp. 81–8. DOI: [10.1007/978-3-030-00937-3\\_10](https://doi.org/10.1007/978-3-030-00937-3_10).
- [108] C. Jud, R. Sandkuehler, and P. C. Cattin, “Motion aware mr imaging via spatial core correspondence,” in *Proc. Medical Image Computing and Computer Assisted Intervention (MICCAI)*, accepted, vol. 11070, New York: Springer-Verlag, Sep. 13, 2018, pp. 198–205. DOI: [10.1007/978-3-030-00928-1\\_23](https://doi.org/10.1007/978-3-030-00928-1_23).
- [109] C. Jud, R. Sandkühler, and P. C. Cattin, “An inhomogeneous multi-resolution regularization concept for discontinuity preserving image registration,” in *8th International Workshop on Biomedical Image Registration (WBIR)*, ser. LNCS 10883, 2018, pp. 3–12. DOI: [10.1007/978-3-319-92258-4\\_1](https://doi.org/10.1007/978-3-319-92258-4_1).
- [110] S. Manavi, L. Witthauer, L. Iafolla, A. Zam, G. Rauter, and P. C. Cattin, “Temperature-compensated FBG-based 3D shape sensor using single-mode fibers,” in *Advanced Photonics Congress*, 2018.
- [111] U. Nahum, A. Zam, and P. Cattin, “Bone reconstruction and depth control during laser ablation,” in *Computational Methods and Clinical Applications in Musculoskeletal Imaging (MICCAI-MSKI)*, 2018.
- [112] H. Nguendon, G. Rauter, R. Guzman, P. Cattin, and A. Zam, “Comparison of acoustic shock waves generated by micro and nanosecond lasers for a smart laser surgery system,” in *Proc. of SPIE Vol. 10484*, Feb. 13, 2018. DOI: [10.1117/12.2290094](https://doi.org/10.1117/12.2290094).
- [113] T. Ronchetti, P. Maloca, E. R. de Carvalho, T. Heeren, K. Balaskas, A. Tufail, C. Egan, M. Okada, S. Orgül, C. Jud, and P. C. Cattin, “Feasibility study of subfoveal choroidal thickness changes in spectral-domain optical coherence tomography measurements of macular telangiectasia type 2,” in *International Workshop on Ophthalmic Medical Image Analysis (MICCAI OMIA)*, ser. Lecture Notes on Computer Science (LNCS), vol. 11039, Oct. 19, 2018, pp. 303–9. DOI: [10.1007/978-3-030-00949-6\\_36](https://doi.org/10.1007/978-3-030-00949-6_36).

- 
- [114] R. Sandkühler, C. Jud, and P. C. Cattin, “Adaptive graph diffusion regularisation for discontinuity preserving image coregistration,” in *8th International Workshop on Biomedical Image Registration (WBIR)*, ser. LNCS 10883, in press, 2018. DOI: [10.1007/978-3-319-92258-4\\_3](https://doi.org/10.1007/978-3-319-92258-4_3).
- [115] I. Susic, A. Zam, P. C. Cattin, and G. Rauter, “Enabling minimal invasive palpation in flexible robotic endoscopes,” in *New Trends in Medical and Service Robotics (MESROB)*, vol. 65, Sep. 27, 2018, pp. 70–7, ISBN: 978-3-030-00328-9. DOI: [10.1007/978-3-030-00329-6\\_9](https://doi.org/10.1007/978-3-030-00329-6_9).

## Patents

- [1] P. C. Cattin and A. Bruno, “Depth controlled photoablation of human or animal tissue,” English, EP12199762.1, 2012.
- [2] P. C. Cattin, M. Griessen, and A. Bruno, “Cutting human or animal bone tissue and planning such cutting,” English, EP13174509.3, 2013.
- [3] P. C. Cattin, M. Griessen, A. Schneider, and A. Bruno, “Computer assisted surgery apparatus and method of cutting tissue,” English, EP13174515, 2013.
- [4] G. Jost, J. Walti, and P. C. Cattin, “Controlling a surgical intervention to a bone,” EP14153412, Jan. 31, 2014.
- [5] P. C. Cattin and S. Haerle, “Imaging device and method of visualizing a sentinel lymph node,” EP16180176.6, Jun. 19, 2016.
- [6] P. C. Cattin, L. Iafolla, and L. Witthauer, “Apparatus and method for determining the orientation and position of two rigid bodies,” EP16204596.7, Dec. 16, 2016.
- [7] J. Wagner, L. Robledo, and P. Cattin, “Augenvermessung,” 16159900.6-1568, 2016.
- [8] P. C. Cattin and S. Haerle, “Imaging device and method of visualizing a sentinel lymph node,” WO 2018/015437 At, 2018.
- [9] U. Nahum, C. Seppi, P. von Niederhäusern, S. Pezold, S. Härle, and P. C. Cattin, “Imaging device, process of manufacturing such a device and visualization method,” Swiss Patent Application, Jan. 25, 2018.
- [10] P. C. Cattin, D. Zlatnik, and R. Borer, “Biometrisches Verfahren und Vorrichtung zur Identifikation und Authentifikation von Personen,” German, 2000 1634/00.
- [11] K.-U. Kirstein, O. Brand, T. Salo, J. Sedivy, G. Zünd, J. Grünenfelder, P. Medricky, R. von Mentlen, C. Brom, and P. Cattin, “Apparat zur Durchführung einer Anastomose,” 01138/03.
- [12] —, “Blood pressure monitoring device and methods for making and for using such a device,” PCT/IB04/000953.
- [13] P. Medricky, T. Nef, J. Sedivy, G. Zünd, J. Grünenfelder, R. von Mentlen, E. Nielsen, C. Brom, and P. Cattin, “Chirurgisches Instrument zum Umstülpen eines Hohlorgans,” 00081/04.
- [14] —, “Chirurgisches Instrument zum Umstülpen eines Hohlorgans,” 05405023.2.
- [15] —, “Chirurgisches Schneidinstrument,” 02092/04.
- [16] —, “Helixnadel zum Vernähen von Gewebe,” 02093/04.
- [17] —, “Verfahren und Anordnung zur Durchführung einer Anastomose,” 01139/03.
- [18] —, “Verfahren und Anordnung zur Durchführung einer Anastomose,” WO2005/000127 (PCT/CH 2004/000395).



- 
- [19] —, “Vorrichtung zur Durchführung einer Anastomose,” 01697/02.
  - [20] —, “Vorrichtung zur Durchführung einer Anastomose,” 03 405 725.
  - [21] —, “Vorrichtung zur Durchführung einer Anastomose,” 02091/04.
  - [22] J. Wagner, L. Robledo, and P. Cattin, “Eye measurement,” US2017/0258318 A1,
  - [23] C. Wengert, P. Cattin, and G. Székely, “Augmented visualization in two-dimensional images,” EP 07016944.6, Prioritaetsdatum 29.8.07.
  - [24] C. Wengert, G. Szekely, and P. Cattin, “Augmented visualization in two-dimensional images,” C3746-001-EPP00Sv.

## Other

- [1] S. Saur, P. Cattin, L. Desbiolles, S. Leschka, T. Fuchs, B. Marincek, G. Szekely, and H. Alkadhi, *Prediction rules for the detection of coronary artery plaques: Evidence from cardiac CT*, Poster at Conference Schweizerische Gesellschaft für Radiologie (SGR), 2010.
- [2] S. Saur, P. Cattin, S. Leschka, P. Stolzmann, S. Baumüller, L. Desbiolles, T. Fuchs, H. Scheffel, B. Marincek, G. Szekely, and H. Alkadhi, *Effect of reader experience on variability, evaluation time and accuracy of coronary plaque detection with computed tomography coronary angiography*, Poster at Conference Schweizerische Gesellschaft für Radiologie (SGR), 2010.
- [3] G. F. Jost, J. Walti, L. Mariani, and P. Cattin, *A simple and low-cost navigation technique for placement of s2-iliac screws without intraoperative imaging*, Poster/Abstract at Schweizerische Gesellschaft für Neurochirurgie (SGN), 2014.
- [4] K. Jost, S. Scherer, C. D. Angelis, P. Cattin, S. Schulzke, and A. Datta, *Automated identification of activity state in very preterm infants: A way of cleaning diaphragmatic emg data?* Poster at Swiss Society of Paediatrics (SPG), Jun. 2015.
- [5] A. Altermatt, F. Santini, X. Deligianni, S. Magon, T. Sprenger, L. Kappos, P. Cattin, J. Wuerfel, and L. Gaetano, “On the construction of a 3D-printed brain phantom as gold standard for the validation of brain segmentations,” in *ECTRIMS*, 2017.
- [6] S. Andermatt, S. Pezold, M. Amann, and P. C. Cattin, “Multi-dimensional gated recurrent units for automated anatomical landmark localization,” in *arXiv, Computer Vision and Pattern Recognition*, Aug. 9, 2017. [Online]. Available: <https://arxiv.org/abs/1708.02766>.
- [7] S. Ken, T. Nemtanu, Z. Celicanin, O. Bieri, P. Cattin, K. Mkhitarian, and L. Parent. (2017). 4D-MRI sequence for radiotherapy application: Validation of a retrospective method on a motion phantom, [Online]. Available: <https://www.healthcare.siemens.com/magnetic-resonance-imaging/magnetom-world/hot-topics/mri-in-radiation-therapy/articles-and-case-studies>.
- [8] O. Lorton, N. Möri, P. Guillemin, S. Terraz, P. Cattin, R. Salomir, and L. Gui, “An experimental demonstration of hifu self-scanning treatment in moving tissue,” in *EU-FUS*, Oct. 27, 2017.
- [9] C. Tsagkas, S. Magon, L. Gaetano, S. Pezold, Y. Naegelin, M. Amann, C. Stippich, P. Cattin, J. Wuerfel, O. Bieri, T. Sprenger, L. Kappos, and K. Parmar, “Preferential spinal cord volume loss in primary progressive multiple sclerosis,” in *ECTRIMS*, 2017.